


Protective suit TYCHEM®-C

- Chemical Protective Suit (overall)
- Made of polymer coated material (Tychem®-C, 83 g/m²)
- Hood with elastic around face opening, chin cover flap
- Elastics on wrist, ankles and waist
- Elastic thumb loops against sleeve sliding
- Hot-taped, tight seams
- Adhesive taped double zip protection
- Protection against numerous anorganic chemicals / biological risks
- Antistatic on the inner side
- Fully liquid tight up to 2 bar pressure
- Perfect fit and maximal mobility
- Color: yellow / no halogenous compounds (combustible)



Standards:

- CE Cat. III, Type 3, 4, 4B, 5, 6
- EN 14605-Type 3: liquid proof
- EN 14605-Type 4: spray proof
- EN 13982-Type 5: dust proof
- EN 13034-Type 6: limited splash proof
- EN 13982-1: particle proof
- EN 1149-5: antistatic (on the inner side)
- EN 14126: Protective clothing against infective agents
- EN 1073-2: Protective clothing against radioactive particles



Art.-Nr.	Description	Body height (cm)	Chest (cm)
116351	Chemical Protective Suit (Overall) size S	162 – 170	84 – 92
116253	Chemical Protective Suit (Overall) size M	168 – 176	92 – 100
115682	Chemical Protective Suit (Overall) size L	174 – 182	100 – 108
115683	Chemical Protective Suit (Overall) size XL	180 – 188	108 – 116
115842	Chemical Protective Suit (Overall) size XXL	186 – 194	116 – 124
116350	Chemical Protective Suit (Overall) size 3XL	192 – 200	124 – 132

Packing unit: 25 pcs./box

Weight: 12 kg/box

Dimensions: 62 x 39 x 32 cm

Applications:

- Nuclear industry: Inspection and maintenance works
- Agriculture: Handling of agricultural chemicals and substances
- Chemical / biological industry: Handling of particulate and liquid chemicals
- Pharmaceutical industry: Laboratory works
- Medicine: Protection of hospital workers and patients against biological risks
- Industry: Cleaning and maintenance works

Protective suit TYVEK® 200 EasySafe

- Chemical Protective Suit (overall)
- Made of Tyvek® 200)
- Hood with elastic around face opening
- Elastics on wrist, ankles and waist on the back
- External stitched yellow seams
- Zip protection
- Protection against numerous anorganic chemicals
- Antistatic on the inner and outer side
- Perfect fit and maximal mobility
- Color: white



Standards:

CE Cat. III, Type 5, 6

EN 13982-Type 5: dust proof

EN 13034-Type 6: limited splash proof

EN 13982-1: particle proof

EN 1149-5: antistatic (on the inner side)

EN 1073-2: Protective clothing against radioactive particles



Art.-Nr.	Description	Body height (cm)	Chest (cm)
116353	Chemical Protective Suit (Overall) size S	162 – 170	84 – 92
116354	Chemical Protective Suit (Overall) size M	168 – 176	92 – 100
116355	Chemical Protective Suit (Overall) size L	174 – 182	100 – 108
116356	Chemical Protective Suit (Overall) size XL	180 – 188	108 – 116
116357	Chemical Protective Suit (Overall) size XXL	186 – 194	116 – 124
116358	Chemical Protective Suit (Overall) size 3XL	192 – 200	124 – 132

Packing unit: 100 pcs./box

Applications:

- Nuclear industry: Inspection and maintenance works
- Agriculture: Handling of agricultural chemicals and substances
- Chemical industry: Handling of particulate and liquid chemicals
- Pharmaceutical industry: Laboratory works
- Industry: Cleaning and maintenance works

Available accessories:

Item no.	Description	
div.	<p>Breathing masks to use with non-ventilated protective suits see product info 03701 (search term on website)</p>	
<p>112750 115474 111818 112185 110918 111817 102068 100985 102301 110919 103149 111772 113023</p>	<p>Safety boots S5, yellow, size 36 Safety boots S5, yellow, size 37 Safety boots S5, yellow, size 38 Safety boots S5, yellow, size 39 Safety boots S5, yellow, size 40 Safety boots S5, yellow, size 41 Safety boots S5, yellow, size 42 Safety boots S5, yellow, size 43 Safety boots S5, yellow, size 44 Safety boots S5, yellow, size 45 Safety boots S5, yellow, size 46 Safety boots S5, yellow, size 47 Safety boots S5, yellow, size 48</p>	
<p>113241 113988</p>	<p>Gloves PVC, blue, size L = 9 Gloves PVC, blue, size XL = 10</p>	

Other designs on request.